Safety Data Sheet

Date of preparation
Oct 19, 2026

SECTION 1 Product and company identification

Product identifier	**KOMPOZIT EON INT/EXT SATIN WHITE BASE**
Product number	K2363-01
Product class	Water-based urethane-acrylic architectural coating
Recommended use	Interior/exterior door, trim and cabinet enamel
Restrictions on use	None known
Manufacturer	Kompozit LLC 1033 SW 30th Ave Deerfield Beach, FL 33442 www.kompozitusa.com
Information phone	(954) 531-0983
Emergency phone	(305) 497-8051

SECTION 2 Hazards identification

GHS classification	Not classified as hazardous under the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)
Signal word	None
Hazard statements	None
Precautionary statements	Avoid contact with skin and eyes. Wear protective gloves.
Pictograms	None
Hazards not otherwise classified	None known
Appearance	Liquid
Odor	Low odor (expected)

IARC note regarding titanium dioxide
Although IARC has classified titanium dioxide as possibly carcinogenic to humans (Group 2B), the IARC monograph summary concludes that no significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint.

California Proposition 65
This product contains chemicals, including titanium dioxide, known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 3 Composition / information on ingredients

Chemical name	CAS number	Weight %
Titanium dioxide	13463-67-7	20 – 25

Any concentration shown as a range is to protect formulation confidentiality. Remaining components are not classified as hazardous under the OSHA Hazard Communication Standard.

SECTION 4 First-aid measures

Eye contact	Flush eyes with large amounts of water for 15 minutes. Get medical attention.
Skin contact	Wash affected area thoroughly with soap and water. Remove contaminated clothing and launder before re-use.
Inhalation	Move to fresh air; obtain medical attention if symptoms persist.
Ingestion	Rinse mouth. Do not induce vomiting. Seek medical advice.
Symptoms	Eye or skin irritation may occur in sensitive individuals.

SECTION 5 Fire-fighting measures

Flash point	Not applicable
Flammability classification	Not applicable
LEL / UEL	Not applicable
Extinguishing media	Carbon dioxide, dry chemical, alcohol foam.
Unusual fire and explosion hazards	Closed containers may explode due to pressure build-up when exposed to extreme heat. During emergency conditions, overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent, obtain medical attention.
Special fire-fighting procedures	Full protective equipment including self-contained breathing apparatus should be used. Water spray may be ineffective; fog nozzles preferable. Water may be used to cool closed containers to prevent pressure build-up.

SECTION 6 Accidental release measures

Personal precautions	Remove all sources of ignition. Ventilate the area. Wear appropriate personal protective equipment.
Containment and cleanup	Remove with inert absorbent. Place in suitable containers for disposal.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

SECTION 7 Handling and storage

Handling	Keep container closed when not in use. Transfer only to approved containers with complete and appropriate labeling. Do not take internally. Keep out of the reach of children.
Storage	Store in tightly closed containers in a cool, dry, well-ventilated area. Protect from freezing.
Storage category	Not applicable

SECTION 8 Exposure controls / personal protection

Occupational exposure limits

Chemical name	ACGIH TLV	OSHA PEL
Titanium dioxide	TWA: 0.2 mg/m³ (nanoscale respirable)	15 mg/m³ (total dust)

Engineering controls	Provide adequate general ventilation. Control mist, spray and sanding dust; check component occupational exposure limits.
Respiratory protection	Use appropriate NIOSH-approved respiratory protection if ventilation is inadequate, during spraying or when sanding dried film. Follow exposure assessment and respirator program.
Eye protection	Safety glasses with side shields; goggles for splash risk.
Skin protection	Wear protective gloves; avoid prolonged skin contact.

Lead warning
Removal of old paint by sanding, scraping or other means may generate dust or fumes containing lead. Exposure to lead may cause brain damage or other adverse health effects, especially in children or pregnant women. For more information, call the National Lead Information Center at 1-800-424-LEAD.

SECTION 9 Physical and chemical properties

Physical state	Liquid	Odor	Low Odor
Density	10.49 lb/gal	Specific gravity	1.26
Vapor density	Heavier than air	Boiling point	100 °C
Evaporation rate	Slower than ether	pH	6.0 - 11.0
VOC (less water)	< 50 g/L	Percent volatile by volume	60%
Flash point	Not applicable	Flammability	Not applicable

SECTION 10 Stability and reactivity

Stability	Stable under normal conditions
Conditions to avoid	Avoid freezing and excessive heat
Incompatibility	Avoid strong oxidizing agents (verify mixture compatibility)
Hazardous decomposition	Fire may produce carbon oxides and irritating fumes
Hazardous polymerization	Will not occur

SECTION 11 Toxicological information

Chemical name	CAS number	Toxicology
Titanium dioxide	13463-67-7	LD50 oral rat > 10,000 mg/kg

SECTION 12 Ecological information

Ecotoxicity	No data available

SECTION 13 Disposal considerations

Waste disposal method	Do not discharge into drains or waterways. Dispose of product and packaging according to applicable local, state and federal requirements. Waste classification has not been determined.

SECTION 14 Transport information

US ground (DOT)	Not regulated for transportation.
IMO	Not regulated for transportation.
IATA / ICAO	Not regulated for transportation.

Multi-modal shipping descriptions are provided for informational purposes only. Compliance with applicable regulations is the sole responsibility of the person offering the product for transport.

SECTION 15 Regulatory information

SARA 313	No ingredients in this product are subject to SARA 313 (40 CFR 372.65C) Supplier Notification.
TSCA certification	All chemicals in this product are listed, or are exempt from listing, on the TSCA Inventory.

SECTION 16 Other information

Disclaimer

The information presented in this publication pertains to this product as currently formulated, and is based on information available at this time. No representation or warranty is made, however, concerning the accuracy or completeness of the information presented in this publication. Kompozit LLC makes no warranty or representation of any kind, express or implied, including without limitation any warranty of merchantability or fitness for any particular purpose, and no warranty or representation shall be implied by law or otherwise. Any products sold by Kompozit LLC are not warranted as suitable for any particular purpose to the buyer. The suitability of any products for any purpose particular to the buyer is for the buyer to determine. Kompozit LLC assumes no responsibility for the selection of products suitable to the particular purposes of any particular buyer. Kompozit LLC shall in no event be liable for any special, incidental, or consequential damages.